

A PORTION OF  
THE SW1/4 OF SECTION 16 AND THE NW1/4 OF SECTION 21,  
TOWNSHIP 20 SOUTH, RANGE 60 EAST, M.D.M.,  
CITY OF LAS VEGAS, CLARK COUNTY, NEVADA.

CURVE	ARC	DELTA	RADIUS	TAN LENGTH
C1	148.30	87°05'33"	1050.00	74.27
C2	36.50	89°39'10"	28.00	22.37
C3	80.00	90°00'00"	80.00	56.63
C4	131.21	27°30'11"	278.00	66.88
C5	45.80	11°39'48"	225.00	22.98
C6	10.19	14°35'48"	40.00	1.12
C7	50.13	26°08'33"	110.00	25.51
C8	80.45	1°38'45"	1750.00	30.23
C9	56.38	2°10'25"	1750.00	33.25
C10	34.05	1°08'53"	1750.00	17.02
C11	42.00	2°17'39"	1050.00	21.00
C12	106.30	5°48'03"	1050.00	53.20
C13	39.36	3°01'36"	745.00	19.68
C14	59.51	5°30'45"	745.00	34.78
C15	45.90	3°31'52"	745.00	22.96
C16	30.01	02°15'22"	745.00	15.01
C17	30.01	02°15'22"	745.00	15.01
C18	48.18	3°42'11"	745.00	24.10
C19	1.19	0°05'28"	745.00	0.59
C20	70.79	8°10'25"	850.00	42.79
C21	7.75	8°52'54"	50.00	3.88
C22	77.21	16°05'14"	275.00	38.86
C23	54.02	11°14'57"	275.00	27.08
C24	4.76	1°12'43"	225.00	2.38
C25	41.04	10°27'05"	225.00	20.58
C26	80.52	3°35'34"	1125.00	40.27
C27	120.66	7°56'47"	870.00	60.43
C28	71.07	27°20'11"	150.00	36.48
C29	71.07	11°31'30"	380.00	37.75
C30	33.41	15°18'52"	125.00	16.81
C31	78.19	11°39'48"	468.41	20.19
C32	40.35	4°56'06"	468.41	20.19
C33	117.92	26°06'33"	288.76	60.00
C34	63.42	12°12'22"	288.76	31.42
C35	29.79	6°00'54"	288.76	14.91
C36	29.61	3°26'18"	493.41	14.91
C37	81.82	7°05'29"	493.41	38.14
C38	35.09	4°04'29"	493.41	17.58
C39	26.73	10°27'05"	100.00	13.44
C40	58.28	10°27'05"	300.00	28.72
C41	6.88	1°12'43"	395.30	3.44
C42	34.36	11°14'57"	115.20	17.23
C43	49.18	16°05'14"	115.20	24.73
C44	12.25	26°06'33"	25.20	6.25
C45	20.58	12°12'22"	60.20	10.13
C46	46.74	40°35'52"	60.20	24.54
C47	80.45	57°43'37"	60.20	33.07
C48	22.63	21°36'12"	60.20	11.46
C49	12.84	20°25'28"	25.20	6.56
C50	56.02	02°24'12"	845.30	18.01

CURVE	ARC	DELTA	RADIUS	TAN LENGTH
C156	26.60	1°05'33"	1395.00	13.30
C157	66.75	2°33'30"	1495.00	33.38
C158	62.20	2°39'30"	1395.00	31.15
C159	75.23	2°52'59"	1495.00	37.62
C160	70.19	2°52'59"	1395.00	35.10
C161	44.63	2°28'31"	1495.00	32.32
C162	60.31	2°28'31"	1395.00	30.16
C163	70.99	2°43'14"	1495.00	35.50
C164	66.24	2°43'14"	1395.00	33.13
C165	74.40	2°51'24"	1495.00	37.21
C166	27.52	2°10'44"	1395.00	24.72
C167	64.25	2°22'31"	1495.00	32.54
C168	60.31	2°22'31"	1395.00	30.15
C169	26.22	100°18'30"	15.00	17.87
C170	87.71	21°29'57"	233.76	44.38
C171	52.14	2°22'31"	1495.00	29.10
C172	15.94	70°31'42"	15.00	10.61
C173	5.91	22°14'45"	15.00	2.99
C174	23.95	1°50'30"	745.00	11.98
C175	18.40	70°31'42"	15.00	10.61
C176	5.91	22°14'45"	15.00	2.99
C177	23.95	1°50'30"	745.00	11.98
C178	156.97	8°45'58"	1026.00	78.64
C179	44.15	8°45'58"	30.00	21.37
C180	4.4	180°00'00"	4.00	4.00
C181	24.87	93°04'29"	75.00	15.84
C182	17.41	3°19'33"	25.00	4.07

LINE	BEARING	DISTANCE
L1	N 80°26'34" E	5.00
L2	N 13°54'16" W	14.50
L3	N 52°05'44" E	94.34
L4	S 37°54'16" E	41.15
L5	N 50°05'44" E	89.82
L6	N 78°05'44" E	26.80
L7	S 37°54'16" E	14.37
L8	N 78°05'44" E	23.05
L9	S 22°56'49" E	14.40
L10	S 37°54'16" E	29.57
L11	N 10°34'05" W	14.40
L12	S 37°54'16" E	14.40
L13	N 52°05'44" E	10.81
L14	S 17°05'16" W	10.81
L15	S 22°56'49" E	8.96
L16	S 14°14'50" E	3.00
L17	N 22°56'49" W	3.96
L18	N 37°54'16" E	30.77
L19	N 37°54'16" E	29.12
L20	N 10°34'05" W	29.57
L21	N 78°05'44" E	14.40
L22	N 37°54'16" W	40.28
L23	S 78°05'44" W	26.80
L24	S 78°05'44" E	26.80
L25	S 0°32'07" W	26.36
L26	S 0°32'07" W	36.64
L27	N 78°05'44" E	14.40
L28	N 0°32'07" E	1.62
L29	S 78°05'44" E	13.81
L30	N 0°32'07" W	36.36
L31	S 0°32'07" W	29.38
L32	S 10°34'05" E	43.88
L33	N 89°27'53" W	4.48
L34	S 37°54'16" E	8.49
L35	N 37°54'16" E	4.48
L36	S 30°50'31" W	21.23
L37	S 11°54'41" E	0.24

- LEGEND**
- FOUND PK & SHINER
  - SET 5/8" REBAR @ AL. CAP RLS G030 W/ BRASS CAP TIES N TOP OF CURB
  - ③ LOT NUMBER
  - ② BLOCK NUMBER
  - - - EASEMENT LINE AS DESCRIBED
  - - - SETBACK LINE
  - FRONT = 10' MIN. / 10' MIN TO GARAGE DOOR
  - SIDE = 10' MIN. (TOTAL)
  - G7 CURVE NO.
  - L3 LINE ANNOTATION NO.

